

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	200	(stator resolver) and (spring near4 (pin rod)) and (mold\$3) and (inject\$3 encapsulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/19 07:04
L2	72	(stator resolver) same (mold\$3) and (inject\$3 encapsulat\$3) and (spring near4 (pin rod))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/19 07:50
L3	38	(mold\$3) same (inject\$3 encapsulat\$3) same (spring near4 (pin rod) near4 (core mandrel))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/19 07:50
L4	1	(JP-09234766-\$.did.	JPO	OR	ON	2006/09/19 08:07
L5	1	l4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/19 08:08
L6	1	jp09234766	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/19 08:08
L7	3	"09234766"	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	ON	2006/09/19 08:08
S1	12	("20020063491" "20030030349" "3963949" "4573258" "5038460" "5466492" "5584114" "5628951" "5853643" "5973424" "6750577" "6756709").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 14:14
S2	2	S1 and springs	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:07
S3	47687	(spring spring-loaded) with (mandrel core)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:05
S4	900	(spring spring-loaded) with (mandrel core) same (stator)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:05
S5	37	(spring spring-loaded) with (mandrel core) same (stator) same (mold\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:05

## EAST Search History

S6	0	"10826135"	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:05
S7	1	"10/826135"	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:13
S8	2	S1 and springs and (mandrel core)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:07
S9	1	"10/826135" and springs	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:15
S10	1	"10/826135" and springs and pins	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:22
S11	1	"5973424".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 13:23
S12	2	"0507211"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 13:36
S13	2	"60249849"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 13:42
S14	1780	stator and spring and (mold\$3) and (inject\$3 encapsulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 13:43
S15	58	stator and spring and (mold\$3) and (inject\$3 encapsulat\$3) and ("264"/).clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 13:44
S16	59	(stator resolver) and spring and (mold\$3) and (inject\$3 encapsulat\$3) and ("264"/).clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 13:51
S17	192918	(stator resolver) and spring and (mold\$3) and (inject\$3 encapsulat\$3) and (pin) ("264"/). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 13:51
S18	34	(stator resolver) and spring and (mold\$3) and (inject\$3 encapsulat\$3) and (pin) and ("264"/).clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 14:03
S19	0	("7036206").URPN.	USPAT	OR	ON	2006/09/18 14:00

## EAST Search History

S20	15	("5389844"   "5490319"   "5597523"   "5806169"   "5918360"   "6002185"   "6087755"   "6140726"   "6335582"   "6380658"   "6437526"   "6465975"   "6527091"   "6566829"   "6577097").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 14:00
S21	1	S20 and springs	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 14:00
S22	1	S20 and spring	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 14:00
S23	12	(stator resolver) and (spring same pin) and (mold\$3) and (inject\$3 encapsulat\$3) and ("264"/).clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/09/18 14:04
S24	1	10/479964	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 16:17
S25	1	"6524679".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 16:46
S26	1	S25 and (belt)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 16:21
S27	1	S25 and (belt\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/18 16:21
S28	2	"6524679".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/09/18 16:46